

Subject: [radiojove-data] 30 Jan 2013 Io-A

From: Dave Typinski <davetyp@typnet.net>

Date: 01/31/2014 22:03

To: RadioJove-Data <radiojove-data@lists.nasa.gov>

Adding to Jim's & Tom's & Wes's nice reports, here's more Io-A from Thursday morning.

All L bursting from 16 to 32 MHz.

The RCP emission - ostensibly from the A source -- continued well into the nominal Io-C region (see next report).

The LCP emission -- ostensibly from the C source -- started very early, well within the Io-A region.

Modulation lanes, crosshatched and curved, but not very well defined.

Jupiter was kept below 15° off axis.

Beam steering:

0000 5S 0EW

0223 5S 15E

0310 5S 0EW



0452 5S 30W

Jupiter was trailing the Sun by 152°.


--

Dave


AJ4CO Observatory, 30 Jan 2014




AJ4CO Observatory 30 Jan 2014 - DPS 60 kHz IF on TFD Array in CP Mode - RCP




AJ4CO Observatory 30 Jan 2014 - DPS 60 kHz IF on TFD Array in CP Mode - LCP








AJ4CO Observatory 30 Jan 2014 - DPS 60 kHz IF on TFD Array in CP Mode - RCP



AJ4CO Observatory 30 Jan 2014 - DPS 60 kHz IF on TFD Array in CP Mode - LCP



AJ4CO Observatory 30 Jan 2014 - DPS 60 kHz IF on TFD Array in CP Mode - RCP



AJ4CO Observatory 30 Jan 2014 - DPS 60 kHz IF on TFD Array in CP Mode - LCP

