**Subject:** [radiojove-data] 20 Jan 2015 lo-B/D **From:** Dave Typinski <davetyp@typnet.net>

Date: 01/23/2015 01:56

To: RadioJove-Data <radiojove-data@lists.nasa.gov>

Adding to Jim & Tom & Wes's great reports, here's some more lo-B/D from Tuesday morning.

Nice RCP lo-B arc with an LCP lo-D arc happening at the same time.

lo-B RCP dominant L bursting from 16 to 32 MHz. Lots of well defined modulation lanes. Positive drift lanes curving from +75 kHz/s at 16 MHz to +200 kHz/s at 32 MHz. Negative drift rates throughout at -40 to -50 to kHz/s.

Lots of Io-B RCP dominant S bursting from 16 to 32 MHz. At some points the S bursting was so dense it almost looked like L bursting.

lo-D LCP narrow band S bursting with a little narrow band L bursting from 16 to 23 MHz. No modulation lanes in LCP. On a short time scale, these looked like N events, but on the longer time scale (hours) they are seen to lack the random frequency changes of a classic N event, the emission frequency instead having slight random movement with the emission frequencies curving nicely to form the lo-D arc structure.


Jupiter was -26° to +24° off axis.


Jupiter was leading the Sun by 160°.


Dove


Dave


AJ4CO Observatory 20 Jan 2015, log entry 286(RCP L), 287(RCP S), 288(LCP S)

















7 of 14

