

Subject: [radiojove-data] 10 Feb 2015 non-Io-X (between C and B)

From: Dave Typinski <davetyp@typnet.net>

Date: 02/12/2015 00:23

To: RadioJove-Data <radiojove-data@lists.nasa.gov>

Adding to Tom & David & Wes & Jim's nice reports, here's some non-Io-X from Tuesday morning. That's not an official term, but I don't know what else to call it since this emission took place after the "normal" C source CML range and before the "normal" B source CML range.

RCP dominant L bursting from 16 to 26 MHz. Shallow ionospheric lanes visible throughout.


Jupiter was +19° to +36° off axis.


Jupiter was trailing the Sun by 176°.

--


Dave

AJ4CO Observatory 10 Feb 2015, log entry 320







AJ4CO Observatory - 10 Feb 2015 - DPS 30 kHz IF on TFD Array in CP Mode - RCP Correction Array 2014 12 18B.csv Offset 2050 Gain 5.0




AJ4CO Observatory - 10 Feb 2015 - DPS 30 kHz IF on TFD Array in CP Mode - LCP Correction Array 2014 12 18B.csv Offset 2050 Gain 5.0





AJ4CO Observatory - 10 Feb 2015 - DPS 30 kHz IF on TFD Array in CP Mode - RCP Correction Array 2014 12 18B.csv Offset 2050 Gain 5.0



AJ4CO Observatory - 10 Feb 2015 - DPS 30 kHz IF on TFD Array in CP Mode - LCP Correction Array 2014 12 18B.csv Offset 2050 Gain 5.0

