

Some very weak non-Io-B and non-Io-A.

RCP dominant L bursts 0707–0742 UTC from 16 to 27 MHz, positive frequency drift emission envelopes. (non-Io-B)


RCP dominant L bursts 0746–0752 UTC from 18 to 26 MHz, negative frequency drift emission envelopes. (non-Io-A)

Line noise present throughout the observation.


Jupiter was $+16^\circ$ to $+27^\circ$ off axis.

Jupiter was leading the Sun by 172° .

Jupiter's location at midpoint of observed emission (0729 UTC)




Sky map with array HPBW in green.




CML-Io phase plane.


AJ4CQ Observatory 01 Apr 2017 - DPS on TFD Array - RCP - Correction Array 2017 01 10.csv - Offset 2075 Gain 5.0



AJ4CQ Observatory 01 Apr 2017 - DPS on TFD Array - LCP - Correction Array 2017 01 10.csv - Offset 2075 Gain 5.0



AJ4CQ Observatory 01 Apr 2017 - DPS on TFD Array - RCP-LCP - Correction Array 2017 01 10.csv - Offset 50 Gain 2.0



AJ4CQ Observatory 01 Apr 2017 - DPS on TFD Array - LCP-RCP - Correction Array 2017 01 10.csv - Offset 50 Gain 2.0

