

Date: 17 May 2017

Object: Jupiter - Non-Io-A

Observer: Unattended

| Start of pass: | 0516 UT | Planetary K-index: | 2 |
|-------------------------|---------|------------------------|--------|
| Jupiter Altitude (deg): | 32.0 | Jupiter Azimuth (deg): | 229.6 |
| Jupiter CML: | 223.16 | Jupiter Io Phase: | 142.22 |
| Jupiter RA (hr/min): | 12:53 | Jupiter Dec (hr/min): | -04:04 |
| Hour Angle (hr/min): | 02:41 | Polarization | RCP |
| Sun Altitude (deg): | -30.4 | Sun Azimuth (deg): | 001.5 |
| Sun RA (hr/min): | 03:29 | Sun Dec (hr/min): | 18.56 |


| End of pass: | 0553 UT | | |
|-------------------------|---------|------------------------|--------|
| Jupiter Altitude (deg): | 26.4 | Jupiter Azimuth (deg): | 223.0 |
| Jupiter CML: | 245.52 | Jupiter Io Phase | 147.47 |
| Hour Angle (hr/min): | 03:18 | | |
| Sun Altitude (deg): | -29.6 | Sun Azimuth (deg): | 011.6 |

Observations made using:


- 1. FSX-8S fed by the TFD array
 - a. 7.7 dB loss between TFD and Multicouplers.
 - b. Connect to array through HNRAO Multicoupler #1 and #2, port 2
 - i. HNRAO Multicoupler #1 TFD/LCP
 - ii. HNRAO Multicoupler #2 TFD/RCP
 - 1. Port 1 having 10 dB of gain, all other ports have 3 dB gain.
- 2. FSX-2 fed by the LWA array directly
 - a. LWA element configuration 90 degrees
- 3. JOVE 2 receiver fed by phased JOVE dipoles @ 13'
 - a. 12' 6" phase cable phased for 2016-17 season
 - b. Calibrated 19 April 2017
 - c. Connected to dipoles through HNRAO Multicoupler #3, port 1.
 - i. 3.165 dB loss between Multicoupler and dipoles.
- 4. Icom R75 receiver fed by experimental DDRR antenna directly.
 - a. Calibrated 19 April 2017
- 5. SDRPlay
 - a. RSP1 (2) and RSP2 (1)

HNRAO Observing Log 40.673181 N – 80.437885 W EN90sq






Beginning of Pass



End of Pass





| MODE | CML RANGE | Io RANGE | MAX F | POLAR | ARC | NOTES |
|----------|-------------|-----------|-------|-------|-------|-----------------------------|
| Io-D | 0-200 | 95-130 | 18 | LH | Early | Also called "fourth source" |
| Io-B | (105 - 185) | (80-110) | 39.5 | RH | Early | Also called "early source" |
| non Io-B | 80-200 | 0-360 | 38 | RH | Early | Voyager info |
| Io-A | (200-270) | (205-260) | 38 | RH | Late | Also called "main source" |
| non-Io-A | (230-280) | 0-360 | 38 | RH | Late | |
| Io-C | (300-20) | (225-260) | 36 | RH&LH | Late | Also called "third source" |
| non-Io-C | 300-360 | 0-360 | 32 | RH&LH | Late | Voyager info |

https://www.radiosky.com/jupmodes.html

A brief, weak, Non-Io-A storm. Positive drift L-bursts with negative drift modulation lanes. Emissions spanned 16 MHz to 20 MHz. A single modulation was measured at -86 kHz/sec drift.


Nothing remarkable or noteworthy in this storm.


Both FSX spectrographs could resolve the burst at 0525 UT but would have been missed without confirmation with the SDRPlay RSP2 spectrograph.

No emissions were strong enough to have been observed with the Radio JOVE/dipole pair.





SDRPlay RSP2/TFD Pair






































FSX-2/LWA Pair



FSX-8S/TFD Pair



