

Date: May 11, 2019

Object: Jupiter - Non-Io-A

Observer: Unattended

Start - Time UT:	0901	Planetary K-index:	4
Jupiter Altitude (deg):	23.7	Jupiter Azimuth (deg):	201.3
Jupiter CML:	199.51	Jupiter Io Phase:	191.41
Jupiter RA (hr/min):	17:29	Jupiter Dec (hr/min):	-22:38
Hour Angle (hr/min):	01:25	Polarization	RCP
Sun Altitude (deg):	-11.3	Sun Azimuth (deg):	055.1
Sun RA (hr/min):	03:04	Sun Dec (hr/min):	17:20

End – Time UT:	0932	De:	-2.8
Jupiter Altitude (deg):	21.1	Jupiter Azimuth (deg):	208.9
Jupiter CML:	218.25	Jupiter Io Phase	195.77
Hour Angle (hr/min):	01:57	Duration (min):	31
Sun Altitude (deg):	-06.2	Sun Azimuth (deg):	068.8
Max Frequency MHz	21	Min Frequency MHz	16

Data from Radio-Jupiter Pro 3.8.2

Observatory Configuration

Spectrograph Receiver	Antenna	Polarization	System Loss	Multicoupler	Multicoupler port	Calibrated
FSX-8S	TFD	RCP	-8.35 dB	#2 RCP	Port 1 +10dB	Twice daily
F3A-63	IFD	LCP	-7.59 dB	#1 LCP	Port 1 +10dB	Twice daily
FSX-2	LWA	RCP/LCP manual select		N/A	N/A	N/A
SDRPlay RSP2	TFD	RCP	-8.35 dB	#2 RCP	Port 2 +3dB	Twice daily
SDRPlay RSP2	TFD	LCP	-7.59 dB	#1 LCP	Port 2 +3dB	Twice daily
JOVE 1	TFD	RCP	-8.35 dB	#2 RCP	Port 3 +3 dB	04/20/2018
JOVE 1	TFD	LCP	-7.59 dB	#1 LCP	Port 3 +3 dB	04/20/2018
JOVE II	Jove dipoles	Linear	-3.66 dB	#3 Linear	Port 4 +3 dB	4/19/2019
SDRPlay RSP1	Experimental*					

JOVE dipoles phased @ 32 degrees for 2018-2019 season

TFD array phased @ 35 degrees for 2018-2019 season

LWA antenna phased @ 35 degrees and orientation for observation: 45 degrees


Software Radio Sky Spectrograph 2.8.50

Red = Offline


All times are synced with a local GPS locked NTP server.

^{*} Used for testing and evaluating antenna systems






Beginning of Pass



End of Pass






MODE	CML RANGE	Io RANGE	MAX F	POLAR	ARC	NOTES
Io-D	0-200	95-130	18	LH	Early	Also called "fourth source"
Io-B	(105 - 185)	(80-110)	39.5	RH	Early	Also called "early source"
non Io-B	80-200	0-360	38	RH	Early	Voyager info
Io-A	(200-270)	(205-260)	38	RH	Late	Also called "main source"
non-Io-A	(230-280)	0-360	38	RH	Late	
Io-C	(300-20)	(225-260)	36	RH&LH	Late	Also called "third source"
non-Io-C	300-360	0-360	32	RH&LH	Late	Voyager info

https://www.radiosky.com/jupmodes.html

Modulation Lanes Designations*			
L - Burst	S-Burst		
L1 – No lanes	S1 – No lanes		
L2 - Positive slope	S2 – Positive slope		
L3 - Cross hatched	S3 – Cross hatched		
L4 – Negative slope S4 – Negative slope			
*Modulation Lanes in the Dynamic Spectra of Jovian L-bursts, J.J.			

Riihimaa, Astron. & Astrophys. 4, 1970





A very brief and weak Non-Io-A storm. Positive drift L-bursts with L4 modulation lanes. Emissions were at or a dB or so above GB.

All spectrographs were running at the time. The RCP spectrographs did capture data. The SDRPlay RSP2 / TFD array spectrograph had the greater resolution, however, the FSX-8S / TFD array and the FSX-2 / LWA array both were able to resolve the strong burst at 0910 UT.


The Radio JOVE / JOVE dipole array was overwhelmed with RFI during the time this storm was in progress.


There is nothing else of note.

EOR





SDRPlay RSP2 / TFD Array















FSX-8S / TFD Array





FSX-2 / LWA Array

